

	HURRICANE	DESCRIPTION	LIST PRICE					
	Machine							
1	Total diameter	380 cm						
2	Base diameter	118 cm						
3	Total weight	2170 kg						
4	High	134 cm						
5	Air consumption / pressure	464 l/min, 6 bar(90psi)						
6	Electrical requirements	400V, 3PH, 7 kW, 32A CEE-plug						
7	Max PRINT area	16" x 18"						
8	Direction	CCW, CW						
9	Max print speed	1100 cycle/hour						
10	Squeegee & Flood speed	Independent for each printing head						
11	Guarantee	2 years limited warranty						
12	Multi print	Multiple print for chosen print head						
13	MULTIPRINT table UP/DOWN	Choice of table position in MULTIPRINT mode						
14	MULTIPRINT FLASHING function	Possibility to PRINT -FLASH -GO BACK-PRINT AGAIN						
15	Test print	Possibility to run press in test print mode for individual print head or for all colors						
16	Free wheel	Possibility to unlock indexer to move lower wheel with table by hand						
17	Max Screen Size	56 x 85 cm						
18	Programing machine cycle	Possibility to program for special sequence printing system						
19	Water base print system	The software is prepared to choose between plastisol or water base ink						
20	Half Index	Possibility to move lower wheel in half rotation of full index. CW and CCW direction available						
21	Wide range of machine's speed adjustment	Possibility to change velocity and acceleration of machine, 2 programmable delays in machine's cycle						
22	PALLET MODE function	Possibility to change velocity and acceleration of machine, 2 programmable delays in machine's cycle						
23	DOUBLE INDEX fuction	Possibility to produce 2 orders together, even colors print first job, odd colors print second job						

	МАСНІМЕ	EQUIPMENT IN S	TANDAI	R D	
24	Servo INDEX	Very precision rotation system, smooth operation, velocity and acceleration change possibility	1		INCLUDED
25	Electric Print Heads	Gives smooth SQ&FL operation, in all range of speed	8		INCLUDED
26	Pneumatic lift	Pneumatic cylinder 5"	1		INCLUDED
27	Central OFF Contact	Manual off-contact change	1		INCLUDED
28	Measure indicator for print stroke	Easy to read and change print stroke length and position	8		INCLUDED
29	Screen AIR locking / per head	Four pneumatic cylinder per screen	8		INCLUDED
30	Skip Switch	On the control panel, in automatic mode foot pedal works as ship button	1		INCLUDED
31	Quick change Slide Mount pallets system	Easy & fast to change pallets	10		INCLUDED
32	Pneumatic fasten Squeegee & Flood	Pneumatic SQ & FL fasten	Option		See below
33	All function control access from head key board	Gives access to all head operation and some main operations	8		INCLUDED
34	Foot Pedal	In manual mode works as START button, in AUTO mode works as SKIP button	Option		See below
35	Main air regulator with water filter, oil lubrication & low air pressure switch	Easy to control and service air pressure with oil tank to keep all pneumatic parts in good condition	1		INCLUDED
36	Side (left & right) screen holders	Better screen positioning, easy flash operations	8		INCLUDED
37	Micro Adjustment	Very precision screen's micro registration	8		INCLUDED
38	Micro Dial Indicator	Simple indicator to screen movements	8		INCLUDED
39	load and unload safety System	Electric safety bars protecting load and unload positions while machine rotate	1 set		INCLUDED
40	Squeegee & Flood mechanical pressure regulation	SQ&FL piston stroke adjustment, in combination with angle adjustments gives control over rubber-screen tension force	1		INCLUDED
41	Squeegee air Pressure Regulation	Access to gouge on every print head lets you to control the SQ air pressure	8		OPTION
42	Print head reduction	- € 600 for take off print head; additional head in the future cost 3200€	Choice		See below

43	1set FREE Squeegee/Flood	16 " length	1		INCLUDED			
44	1set FREE Pallets	aluminum rubber coated; size 16" x 22 "	1		INCLUDED			
	MACHINE EQUIPMENT IN OPTION							
45	Pneumatic fasten Squeegee & Flood	+€200 per print head	0					
46	1 set extra aluminum pallets cm	Aluminum rubber coated; size cm	0					
47	1 set extra squeegee with blade 70 durometer	The length cm	0					
48	1 set extra aluminum flood bar	The length cm	0					
49	Foot Pedal	Let you to control the press by foot switch	1		INCLUDED			
50	Printing head reduction on the press	Reduction printing heads in relation to standard size	0					
51	Pallet Locator	Easy and convenient pallet placing	0					
52	IR Carbon Quartz Flash CLH 1618	Quartz Infrared heater, heat area 16 x 18", Electronic power control, pallet temperature sensor, temperature setting and reading max power 12 kW (auto or manual control)	0					
53	IR Quartz Flash QLH 1618	Quartz Infrared heater, heat area 16 x 18", Electronic power control, max power 12 kW (auto or manual control)	0					
54	Stand for QLH /CLH FLASH	Necessary for FLASH if front – rear screen holders	0					