

	printex@printexue.pr	_					
	SPECTRUM-SL 14 stations / 12 colors	DESCRIPTION	LIST PRICE				
	Machine						
1	Total diameter	510 cm					
2	Base diameter	200 cm					
3	Total weight	2450 kg					
4	High	124 cm					
5	Air consumption / pressure	664 l/min, 6 bar(90psi)					
6	Electrical requirements	400V, 3PH, 13 kW, 32A CEE-plug					
7	Max PRINT area	51 x 55 cm, 40 x 70 cm, 30 x 90 cm or <b>double index</b> 70 cm length x 80 cm width, 90 cm length x 100 cm width					
8	Direction	CCW, CW					
9	Max print speed	900 cycle/hour					
10	Squeegee & Flood speed	Independent for each printing head					
11	Guarantee	2 years limited warranty					
12	Multi print	Multiple print for chosen print head					
13	Special option	For multiple print there is possible to set table in up position for every multiple print or set to move table every one print					
14	MULTIPRINT FLASHING function	Possibility to PRINT -FLASH -GO BACK-PRINT AGAIN					
15	Test print	Possibility to run press in test print mode for individual print head or for all colors					
16	Free wheel	Possibility to unlock indexer to move lower wheel with table by hand					
17	Max Screen Size	66 x 91 cm, 56 x 110 cm, 46 x 130 cm, double indx 110 cm length x 96 cm width, 130 cm length x 76 cm width					
18	Programing machine cycle	Possibility to program for special sequence printing system					
19	Water base print system	The software is prepared to choose between plastisol or water base ink					
20	Half Index	Possibility to move lower wheel in half rotation of full index. CW and CCW direction available					
21	Wide range of machine's speed adjustment	Possibility to change velocity and acceleration of machine, 2 programmable delays in machine's cycle					
22	PALLET MODE function	Possibility to produce 2 orders together, even colors print first job, odd colors print second job					
23	DOUBLE INDEX fuction	Possibility to print large formats, number of colors divides by 2, see manual for technical requirements and limitations					

MACHINE EQUIPMENT IN STANDARD						
24	Servo INDEX	Very precision rotation system, smooth operation, velocity and acceleration change possibility	1		INCLUDED	
25	Electric Print Heads	Gives smooth SQ&FL operation, in all range of speed	12		INCLUDED	
26	AC LIFT	Electrical driven lift with on panel OFF-CONTACT change	1		INCLUDED	
27	Central OFF Contact	On main panel	1		INCLUDED	
28	Measure indicator for print stroke	Easy to read and change print stroke length and position	12		INCLUDED	
29	Screen AIR locking / per head	Four pneumatic cylinder per screen	12		INCLUDED	
30	Skip Switch	On the control panel, in automatic mode foot pedal works as ship button	1		INCLUDED	
31	Quick change Slide Mount pallets system	Easy & fast to change pallets	14		INCLUDED	
32	Pneumatic fasten Squeegee & Flood	Pneumatic system to realize SQ & FL fasten	Option		See below	
33	All function control access from head key board	Gives access to all head operation and some main operations	12		INCLUDED	
34	Foot Pedal	In manual mode works as START button, in AUTO mode works as SKIP button	Option		INCLUDED	
35	Main air regulator with water filter, oil lubrication & low air pressure switch	Easy to control and service air pressure with oil tank to keep all pneumatic parts in good condition	1		INCLUDED	
36	Front – Rear screen holders	gives choice of print area sizes	12		INCLUDED	
37	Micro Adjustment	Very precision screen's micro registration	12		INCLUDED	
38	Micro Dial Indicator	Simple indicator to screen movements	12		INCLUDED	
39	load and unload safety System	Electric safety bars protecting load and unload positions while machine's rotation	1 set		INCLUDED	
40	Squeegee & Flood mechanical pressure regulation	SQ&FL piston stroke adjustment, in combination with angle adjustments gives control over rubber-screen tension force	1		INCLUDED	
41	Squeegee & Flood air Pressure Regulation	Access to gouge on every print head lets you to control the SQ & FL air pressure	12		INCLUDED	
42	Print head reduction	- € 600 for take off print head; additional head in the future cost 3200€	Choice		See below	

43	1set FREE Squeegee/Flood	16 " length	1		INCLUDED			
44	1set FREE Pallets	aluminum rubber coated; size 16" x 22 "	1		INCLUDED			
	MACHINE EQUIPMENT IN OPTION							
45	Pneumatic fasten Squeegee & Flood	+ €200 per print head	12		INCLUDED			
46	1 set extra aluminum pallets cm	Aluminum rubber coated; size 75 cm length x 95 cm width						
47	1 set extra squeegee with blade 70 & flood bars durometer	The length 90 cm						
48	1 set extra aluminum pallets cm	Aluminum rubber coated; size 75 cm length x 55 cm width						
49	1 set extra squeegee with blade 70 & flood bars durometer	The length 52 cm						
50	Foot Pedal	Let you to control the press by foot switch	1		INCLUDED			
51	Printing head reduction on the press	Reduction printing heads relation to standard size						
52	Flash holder for FLM/FLD if head is missing	Special head to put flash cure on the press						
53	IR Quartz Flash CLH 2024	Quartz heater, heat area 50 x 60 cm, Electronic power control, pallet temperature sensor, temperature setting and reading max power 18 kW (auto or manual control)						
54	IR Quartz Flash Cure CLH 2030	Quartz heater, heat area 50 x 75 cm, Electronic power control, temperature control, max power 22.5 kW (auto or manual control)						
55	IR Quartz Flash Cure CLH 4336	Quartz heater, heat area 110 x 90 cm, Electronic power control, temperature control, max power 53 kW (auto or manual control, SMART POWER MANAGAMENT SYSTEM)						